Garden lawn / drainage tips and advice

To keep your lawn in good condition all year round and to reduce water retention during heavy rainfall. The following hints may assist you:

December – January – February - March

- Keep your lawn brushed or raked free from leaves and debris.
- Keep off the turf during wet and frosty weather as this may create compacted ground and result in water retention on the surface.

January – February

• If the weather conditions allow, aerate the surface using tines (fork) or an appropriate aerator.

March

- Continue with aeration and carry out some light scarifying.
- When mowing never dramatically reduce the height of cut.
- A light application of turf top dressing can be applied after mowing.
- You can apply the first spring and summer fertiliser or sharp sand.

April

- The fertiliser programme should continue with another dressing around mid-month
- Continue to gradually reduce the mowing height and mow every week
- Rake out areas of thin or worn turf or any damaged areas
- Apply a suitable grass seed mix with top dressing

May

- It may be beneficial at this stage to over sow with fine grass mixture
- Apply fertiliser if required

June

- If you are fortunate enough to enjoy long dry spells, water the lawn copiously last thing at night or first thing in the morning
- Lawn fertiliser can be applied again



July

- •Continue to mow weekly
- •If the ground dries out and is firm, aerate the surface using sold tines (fork)
- •Continue to water at dusk or early morning if there are any long dry spells

August

- •This is a good time to apply a treatment for weeds
- •Apply a high nitrogen fertiliser
- This is also an excellent time for sowing grass seed

September

- •The frequency of mowing will now decrease
- •Now is the perfect time to aerate the lawn
- Over sow grass seed to increase the volume of grass in any worn areas
- •An application of autumn fertiliser can be made towards the end of the month

October

- •As growth begins to slow, decrease your mowing programme
- Disease may be prevalent at this time of year and suitable treatment should be affected

November

- •This is your last change to apply fertiliser
- •Aerate the ground
- •Avoid walking on the ground during wet and frosty conditions

